



Order forms for custom-made products

Fill in the required order form and then send it to
sales@ihs-group.com


Order form for custom-made outdoor covers Single version




Add the minimum distances between the air conditioner and the cover.
Dimensions in millimeters.

Only for aluminum version
Maximum dimensions

Width 1500 mm
Height 1200 mm
Depth 1000 mm



Deco



Mixed performance



Performance





Bottom cover option



Dimensions

A	
B	
C	

Ral finish



Adjustable
+/- 150 mm


Order form for custom-made outdoor covers Adjacent version




Add the minimum distances between the air conditioner and the cover.
Dimensions in millimeters.

Only for aluminum version
Maximum dimensions

Width 3000 mm
Height 1200 mm
Depth 1000 mm



Deco



Mixed performance



Performance





Bottom cover option



Dimensions

A	
B	
C	

Ral finish



Adjustable
+/- 150 mm


Order form for custom-made outdoor covers Stackable version





Add the minimum distances between the air conditioner and the cover.
Dimensions in millimeters.

Only for aluminum version
Maximum dimensions

Width 1500 mm
Height 2400 mm
Depth 1000 mm



Deco Mixed performance Performance




Bottom cover option



Dimensions

A
B
C

Ral finish



Adjustable
+/- 150 mm

Order form for custom-made outdoor covers Angle version





Add the minimum distances between the air conditioner and the cover.
Dimensions in millimeters.

Only for aluminum version
Maximum dimensions

Width 1500 mm
Height 1200 mm
Depth 1000 mm

Right-side Patterns
Left-side Slats





Bottom cover option



Dimensions

A
B
C

Ral finish



Adjustable
+/- 150 mm


Order form for custom-made outdoor covers 4 sides self-supporting version



Add the minimum distances between the air conditioner and the cover.
Dimensions in millimeters.

Only for aluminum version
Maximum dimensions

Width 1500 mm
Height 1200 mm
Depth 1000 mm



All slats
performance version

25 mm bar for
ground fixation



Dimensions

A
B
C



Ral finish

Order form for custom-made outdoor grid with slats

Electro-galvanized steel slat grid | Facade mounting | Powder coating in the color of your
choice from the RAL color chart.

Frame minimum 50 mm

Maximum external dimensions


A- Width 1000 mm
B- Height 700 mm

Dimensions to be determined

A
B
C
D

Ral finish

Exw price



Maximum external dimensions


A- Width 2000 mm
B- Height 1500 mm

Dimensions to be determined

A
B
C
D

Ral finish

Exw price



Order form for custom-made outdoor grid with slats with hinged door

Electro-galvanized steel louvered grid | Delivered with lock | Powder coating in the color of your choice from the RAL color chart.


Frame minimum 50 mm

Maximum external dimensions
A- Widht 700 mm
B- Height 1000 mm

Dimensions to be determined	
A	
B	
C	
D	

Ral finish

Exw price



Order form for custom-made outdoor grid with slats

Electro-galvanized steel slat grid | Facade mounting | Powder coating in the color of your choice from the RAL color chart.


Frame minimum 50mm

Maximum external dimensions
A- Widht 700 mm
B- Height 1000 mm

Dimensions to be determined	
A	
B	
C	
D	

Ral finish

Exw price



Maximum external dimensions
A- Widht 1500 mm
B- Height 2000 mm

Dimensions to be determined	
A	
B	
C	
D	

Ral finish

Exw price

